

TV, Video, Data, & **Audio Connection Solutions**

2016 Edition


























SPECIALISTS IN SPECIALTY

DICOM SERVICES

1516 Maddox Lane

Monroe, GA 30656

Phone: (770) 616-5604

Fax: (678) 635-5860

Email: sales@dicom2000.com

Web: www.dicom2000.com

Don't See It Here?

We know, there are times that what you really need isn't a standard item, but you still need it. Just email or fax us a rough drawing of your application, indicate quantity desired, and we will fax back a quote on the same day.


What, change a standard item just for me?

Yep, who wants what everybody else has anyway? In fact we do more custom orders than "standard" ones. You need a different plate size, or type, or color, or jack, or lettering? Just let us know of your application, indicate quantity desired, and we will fax back a quote as soon as possible.



Table of Contents

Television Control Equipment	4
TV Controls with built-in speakers	6
TV Multiple Convenience Outlets (MCOs)	8
Price Lists and General Terms	10



Above:

Copy of original mechanical drawing of an early model video-audio specialty outlet plate, circa 1990.

On the front cover:

Pictured are our current models that replaced the all metallic plate series that were featured in the first twenty years. All items have now been retooled to fit the Decorator style chassis. This change permits maximum flexibility in the field to locally obtain any trim plate, in any color, or material to meet the ever changing demands of the end user. Further, by having all active or terminating points on the basic Decorator frame, provides the ability to mix and put under a trim plate of the appropriate gang size, all the items including lighting controls by others. This year we added the wall-plate versions of MCOs.

Standard TV Control Models

Model DTR2120ST

For the remote control of hospital grade television receivers, this one gang device includes a stainless steel 1 gang trim plate. This device is wired to the television's wired remote outlet facility and provides an easy means for staff and visitors to control a wall mounted TV.

The volume control is a linear taper type with a 1.00" knob. The channel change control is a RED button with a Form "A" Normally Open switch.

Comes complete with screws, and color-coded, pre-stripped 6" leads for easy installation. Requires a standard 1 gang, 2" deep back-box.



Model DTR2220ST



Using the same control frame as above, this device provides an easy means for staff and visitors to control a wall mounted TV.

The controls are mounted on a Decorator style frame with laser printed lettering with a wear guard coat. The knurled volume control is a linear taper with a 1.00" knob. The channel change control is a RED button with a type Form "A" Normally Open switch.

Comes complete with a 2 gang trim plate, screws, and color-coded, pre-stripped 6" leads for fast & easy installation. Requires a standard 2 gang, 2" deep back-box.

Model DTR2130ST/WT

For the channel change remote control of hospital grade television receivers, this one gang device includes either a stainless steel or white poly 1 gang trim plate. This device is wired to the television's wired remote outlet facility and provides an easy means for staff and visitors to control a wall mounted TV.

The channel change control is a RED button with a Form "A" Normally Open switch.

Comes complete with screws, and color-coded, pre-stripped 6" leads for easy installation. Requires a standard 1 gang, 2" deep back-box.



Model DTR2221ST Models DTR2221ST-3.5(-2,3,4)

Same as the DTR2220ST on page 4, however includes a headphone jack in one of the gangs. Installer may reverse the gangs, combine with other similar devices under a larger gang size trim-plate.

Standard headphone jack is a .25" stereo type that automatically switches off the external speaker when a headphone plug is inserted. Other models can be equipped with mini-headphone (pod 3.5mm type) jack(s).

Available in single jack, dual jack (-2), triple jack(-3), or quad jack (-4) versions as indicated.

Comes complete with a 2 gang trim plate, screws, and color-coded, pre-stripped 6" leads for fast & easy installation. Requires a standard 2 gang, 2" deep backbox.



Model DTR2222ST Model DTR2222ST-3.5



For the remote control of hospital grade television receivers. This model has a headphone jack and a button cord jack for the remote channel change function.

This model is ideal for dialysis and other locations where patients may wish to hear their TV privately and can change programming without leaving their station by use of a standard button cord.

Comes complete with screws, and color-coded, pre-stripped 6" leads for easy installation. Requires a standard 2 gang, 2" deep back-box.

For a headphone jack version that uses the new 3.5mm pod type jack, order model DTR2222ST-3.5.

Model DTR2223ST



Identical to the DTR2220ST however includes its' own built-in speaker. This eliminates the need for an external speaker and lowers the overall installed costs.

Packaged with a 2 gang stainless steel trim plate, screws, and features pre-stripped color-coded leads. Requires a standard 2 gang, 2" deep back-box.

Model DTR2233ST


For those applications where the volume level is affixed at a specified level, yet visitors are permitted to change the channel.

Comes complete with a 2 gang trim plate, screws, and color-coded, prestripped 6" leads for fast & easy installation. Requires a standard 2 gang, 2" deep back-box.

The three gang version of this item is model DTR2333ST.



Model DTR2311ST Model DTR2311ST-3.5




This model has a headphone jack and a built-in speaker. This model is ideal for dialysis and other locations where patients may wish to hear their TV privately where there is no need to change the channel, such as using a VCR or DVD player or even an infrared remote control for channel selection.

Comes complete with screws, and color-coded, pre-stripped 6" leads for easy installation. Requires a standard 3 gang, 2" deep back-box. For a four gang version, order model DTR2411ST. For 3.5mm mini-plug headphones, order version with "–3.5."

Model DTR2312ST (-3.5) Model DTR2412ST (-3.5)

Same as the DTR2311ST above, however includes a remote button cord jack for patient use. Includes a built-in speaker, headphone jack (3.5mm jack too), and volume control.

Comes complete with a 3 gang trim plate, screws, and color-coded, pre-stripped 6" leads for fast & easy installation. Requires a standard 3 gang, 2" deep back-box. For a four gang version, order model DTR2412ST. The fourth gang will have a blank frame installed.



Model DTR2321ST Model DTR2321ST-3.5

This model features the same control set as the standard DTR2220ST, yet includes a built-in speaker and either a standard headphone jack or a 3.5mm mini version for local/private listening use.

Packaged with a 3 gang stainless steel trim plate, screws, and features pre-stripped color-coded leads. Requires a standard 3 gang, 2" deep back-box. For a four gang version, which includes an installed blank, order model DTR2421ST (-3.5).



Model DTR2322ST Model DTR2322ST-3.5

Identical to the DTR2222ST except has a built-in speaker for local use. Headphone jack can be standard or the pod 3.5mm type.

Comes complete with a 3 gang trim plate, screws, and color-coded, pre-stripped 6" leads for fast & easy installation.

Requires a standard 3 gang, 2" deep back-box.



Model DTR2422ST Model DTR2422ST-3.5

Identical to the DTR2322ST above, except is in a four gang format. Headphone jack can be standard or pod 3.5mm type.

Comes complete with a 4 gang trim plate, screws, and color-coded, pre-stripped 6" leads for fast & easy installation. Requires a standard 4 gang, 2" deep backbox.



Multiple Convenience Outlets-TV and Data types

Models MCO-2110 & MCO-2111



MCO-2111 in ivory

Following the tradition of other Dicom products, this unit is constructed of the finest components available. Featuring a rugged plastic frame with a brass #6 machine threaded center nut, standard type 106 duplex receptacle outline and interchangeable jack inserts.

The TV control jack is a standard 3 conductor 1/4" phone jack with color coded pigtails. The F-81 jack is a silver-plated contact type for minimal signal loss. Comes with box mounting screws and solderless wire connectors (3).

Standard models in white (MCO-2110), and ivory color, (MCO-2111). Other colors may be available upon request.

Models MCO-2120 & MCO-2121



MCO-2120 in white

Update those old outlets using a Decorator style sub-assembly. Featuring a rugged plastic frame with taps for using a Decorator type faceplate.

The TV control jack is a standard 3 conductor 1/4" phone jack with color coded pigtails. The F-81 jack is a silver-plated contact type for minimal signal loss. Comes with box mounting screws and solderless wire connectors (3).

Standard models in white (MCO-2120), ivory color, (MCO-2121), gray (MCO-2122), and black color (MCO-2123). Other colors may be available upon request.

Model TDO-2110(-5,-6) {white} Model TDO-2111(-5,-6) {ivory}



TDO-2110 in white

Need to accommodate interactive TV or a dataport while providing the standard RF and remote control connections? This model was developed to meet those demands all the while providing a framework to use standard faceplates obtainable locally to keep costs at a minimum.

Equipped with either a standard CAT-5 or CAT-6 RJ-45 jack, standard 3 conductor 1/4" phone jack with color coded pigtails and a F-81 jack that is a silver-plated contact type for minimal signal loss.

Comes with box mounting screws and solderless wire connectors (3). Standard models in white and ivory. Other colors may be available upon request.

TV Multiple Convenience Wallplates



MCO-2120IWP in ivory

Model MCO-2120IWP

New to this year's product line up is actually a custom unit that now has been formally ratified as a standard model.

This is a combination single gang wall plate with TV MCO devices mounted directly on the plate rather than a sub-chassis that is under a trim plate.

The TV control jack is a standard 3 conductor 1/4" phone jack with color coded pigtails. The F-81 jack is a silver-plated contact type for minimal signal loss. Comes with box mounting screws and solderless wire connectors (3).

This model is of IVORY color, however other colors may be available upon request.

Model MCO-2120WWP



MCO-2120WWP in white

Same as the model above but in a WHITE color.

This is a combination single gang wall plate with TV MCO devices mounted directly on the plate rather than a sub-chassis that is under a trim plate.

The TV control jack is a standard 3 conductor 1/4" phone jack with color coded pigtails. The F-81 jack is a silver-plated contact type for minimal signal loss. Comes with box mounting screws and solderless wire connectors (3).

Other colors may be available upon request.



Model #	Suggested List	Dealer Cost 1-99	100+	Page #
DTR-2120ST	49.95	35.00	32.00	4
DTR-2130ST	39.95	27.00	24.00	4
DTR-2130WT	39.95	27.00	24.00	4
DTR-2220ST	59.95	41.00	39.00	4
DTR-2221ST	65.95	48.00	45.00	5
DTR-2221ST-3.5	65.95	48.00	45.00	5
DTR-2221ST-3.5-2	68.95	50.00	46.50	5
DTR-2221ST-3.5-3	71.95	52.00	48.00	5
DTR-2221ST-3.5-4	74.95	54.00	49.50	5
DTR-2222ST	75.95	55.00	48.00	5
DTR-2222ST-3.5	75.95	55.00	48.00	5
DTR-2223ST	75.95	55.00	48.00	6
DTR-2233ST	65.95	52.00	45.00	6
DTR-2311ST	75.95	62.00	52.00	6
DTR-2311ST-3.5	75.95	62.00	52.00	6
DTR-2312ST	85.00	68.00	60.00	6
DTR-2312ST-3.5	85.00	68.00	60.00	6
DTR-2321ST	85.95	68.00	60.00	7
DTR-2321ST-3.5	85.95	68.00	60.00	7
DTR-2322ST	89.99	70.00	62.00	7
DTR-2322ST-3.5	89.99	70.00	62.00	7
DTR-2411ST	85.95	68.00	60.00	6
DTR-2411ST-3.5	85.95	68.00	60.00	6
DTR-2412ST	89.99	70.00	62.00	6
DTR-2412ST-3.5	89.99	70.00	62.00	6
DTR-2422ST	106.00	79.00	73.00	7
DTR-2422ST-3.5	106.00	79.00	73.00	7
MCO-2000 jack only w/conn/hdwre	14.95	9.49	8.28	N/A
MCO-2110 white	29.95	16.95	14.50	8
MCO-2111 ivory	29.95	16.95	14.50	8
MCO-2120-white	21.95	12.95	10.50	8
MCO-2121-ivory	21.95	12.95	10.50	8
MCO-2120IWP	21.95	12.95	11.00	9
MCO-2120WWP	21.95	12.95	11.00	9
TDO-2110-5	34.95	22.95	20.50	8
TDO-2110-6	39.95	25.95	22.50	8
TDO-2111-5	34.95	22.95	20.50	8
TDO-2110-5	39.95	25.95	22.50	8

General Terms & Conditions

- 1. All orders placed will be at the prevailing price in effect at the time of order. Pricing above is for our standard products only. Any special devices developed for a customer shall be priced separately per order. All pricing above excludes freight, local sales taxes, and installation labor.
- 2. We must receive a written purchase order for all items regard less of account status. We will accept orders via mail, web, email, or FAX.
- 3. Your purchase order must contain the following:
 - a. Quantity desired of each item.
 - b. Our model number and unit price each.
 - c. Total order amount
 - d. Desired manner of shipment, insurance, etc.
 - e. Only one ship-to point per order.
 - f. Tax information, exemption status and number.
 - g. Authorized signature and Purchase Order Number.
- 4. If an Open Account has been approved, invoices are due on a net 30-day basis with a 1.5% late fee assessed for payment not received within 45 days.
- 5. In the event an open account status is revoked, future orders will require a prepayment prior to release.
- 6. There are no minimum order charges. All goods are shipped UPS Ground prepaid and insured, unless otherwise specified and billed or charged same day.
- 7. All items sold by Dicom are warranted for a period of one year from date of shipment and are limited by the repair or replacement of said component at Dicom's discretion. Dicom shall not be responsible nor liable for any injury, property damage, or loss of income related to its products, and in no case be held liable for any other remedy prescribed in excess of the product value.



1516 Maddox Lane Monroe, GA 30656

Phone: 770-616-5604 Fax: 678-635-5860

Email: sales@dicom2000com Orders: orders@dicom2000.com Website: www.dicom2000.com